





# ACCESS RAMP



- APPROVED
- REVISE AND RESUBMIT
- APPROVED AS CORRECTED
- REJECTED
- SUBMIT SPECIFIED ITEM

Approval is only for conformance with the design concept of the Project and compliance with the information given in the Contract Documents. Contractor is responsible for dimensions to be confirmed and correlated at the job site for information that pertains solely to the fabrication process or to techniques of construction, and for coordination of the work of all trades.

Signature \_\_\_\_\_ Date \_\_\_\_\_

*\*Note: Drawings not to scale. Specifications are nominal and are subject to change.*



7100 Spectrum Lane  
 Missoula, Montana 59808  
 406.542.9781 • 800.791.8056  
 Fax: 406.542.1158  
 www.spectrumproducts.com

## ENGINEERING DATA

Product:	Access Ramp
Product #:	28630
Date:	1-08
Data Sheet #:	SA 29630

## **Access Ramp, product number 28630**

The access ramp shall be designed for use with in-ground swimming pools. The unit shall be designed to support a 400-pound load with a 1.5 safety factor.

The access ramp shall consist of the following components:

The access ramp shall be constructed from a 2" x 4" x .120" wall thickness 300 series stainless steel frame supporting a one inch thick fiberglass T-Bar deck that is to be 36" wide. Handrails are to be positioned on both sides of the ramp. They shall be constructed of 1.66" x .109" 300 series stainless steel, are to be 38" above deck surface, and are to be of the dual horizontal (2H) design.

Hinged upper and lower plates shall be custom designed by the manufacturer to fit the pool wall/deck and floor configurations without compromising either deck or floor surfaces. ½" x 1 ½" 300 series stainless steel in-beds shall be provided with the unit.

### **Warranty**

Two year limited warranty.



7100 Spectrum Lane ~ Missoula, Montana 59808  
800.791.8056 ~ 406.542.9781  
Fax: 406-542-1158  
[www.spectrumproducts.com](http://www.spectrumproducts.com)