

Elite Rehab Wheelchair Model: 550 SR

PO:			Date:			Customer #:			
Customer Name	e:			Ship To Na	m <u>e:</u>				
Address:	-			Address:					
Phone:			_	Phone:	_				
Contact:				Contact:					
Email:				Tag:					
HCDCC 1	1: 1	1 11 .	4 TI	HCDCC :1.1	1 1 :				
						pretation of the code definition appropriate billing codes	ons.		
		Program and should con							
rii			Sts	andard Features					
l l		• Comfort	Tension Seating®	inuuru rentures	15° Adjustable Back Recline				
			teel, Powder Coated Fr	ame	• 2 x 5" Total Lock Front Caster Wheels				
			Adjustable Seat Tilt to		• 2 x 20" Mag Rear Wheels				
₩.			ximum Occupant Weig		- 2 N 20 Mag 1	icear Wheels			
	Eli	te Rehab Wheelc			MSRP \$3.17	1.00			
€WC-19		: WC-19 Compliant Trai		,					
						pport with Foot Support			
						n selecting this option, 16"-24" wi	dı		
Huntin	gton's Padding Pac	kage Includes: Long La	teral Shoulder Supports	, Thigh Belt & Lor	ng Lower Foot Suj	pport Footbox			
			Seating Frame Col						
Strap Color:	O Grey	○ Black ○ Blue	N/C	Cushion	Burgundy	Milano Stitch Bark	N/C		
Frame Color:	Grey	○ Black	N/C	Color:	Charcoal	O Sapphire Blue	N/C		
	O Tungsten Sand	Ocean F			Modena Blac	ck			
	Carmine Red	O Satin Ni							
	○ Zinc Yellow	O Deep Or	•						
	O Passion Pink	○ Royal P	urple						
	Bronze		Seat Optio	ne					
Seat Width:	○ 16" or ○ 18	"	Seat Optio	Seat Depth:	<u> </u>				
Scat Width.	20" (E2201)			Scat Deptil.	○ 17 ○ 18.5"				
	22" (E2201)			20" (E2203)					
	24" (E2202)) 26" (F2202)			22" (E2204)				
	(E2202) (720 (E2202)		Seat Surface		<u> </u>	_		
	<u> </u>			Height:		Y option w/ WC-19 packa	 or		
				Height.	○ 22"	1 option w/ we 17 packa	<u>5</u>		
					○ 23.5"		•••		
Seat Option:	O Comfort Tension	n Seating® (CTS)	Standard	○ Solid Se	at Pan (E2231)		_		
Scar Option.	See CTS Seat Options below			See Matrx Seat Cushion Options below					
			ion Seating® (CTS) O	•					
O Broda Seat	Cushions Includes:	○ Vinyl C	• • •		Startex Cover				
		○ Full Vin	yl Wrap Seat						
O Broda Additi	onal Positioning Padd	ing (APP)	Seat: (16" () 18" 🔵 20" E260	1 Seat ○ 17"	○19" ○21"			
Seat Cushion			Width: 0 22"	E2602	2 Depth: ○ 17"	○19" ○21"			
			O 24" C) 26" \(\rightarrow\) 28"E260	2 017"	○19" ○21"			
	Posture Padding (SPI								
Seat Width:	○ 16" ○ 18"	○ 20" E2601		Seat Depth					
	○ 22" ○ 24"	E2602			<u> </u>				
	○ 26"	E2602			○ 17" ○ 18	3.5" () 20"	•••		

PSOF 02-ORDER-085NOV23 1

2



Elite Rehab Wheelchair Model: 550 SR

					LY: Seat Cushion O				
		For Correct F	it: Cushion Si	ze Should 1	Match Selected Chair	Seat Dimensions			
Seat Cushion De	epth:	○ 16"	○18"	○ 20"	Only available	w/Multi & PS Cushions)			
Seat Cushion W	idth:	○ 16"	○ 18"	○ 20"	Seat Cushion Width:	○ 22" ○ 24"(PS &Libra)) 26" (PS only)		
	-Recommend for high	est risk of or existing	skin breakdown		(Libra (E2625) -Reco	mmend for highest risk of or exist			
) -Recommend for mod				Multi (E2608) -Recommend for moderate to high risk of skin breakdown				
	Recommend for mode				•	nend for moderate to high risk of			
	-Recommend for mo				O 11 (22000) 1000mm	nena rer meaerate to inga risk er			
					○ DC (E2(0() D	10 1 4 1 4 11 6	1: 1 1 1		
OPS (E2005) - 1	Recommend for low	to moderate risk (1 SKIII Dreakdown	1	, , , , , , , , , , , , , , , , , , ,	mend for low to moderate risk of s	ikin breakdown		
Libra Cushion	O Libra Fluid Sup	plement			Multi, Vi, PS Cus Access	hion Pelvic Obliquit	y Kit		
Accessories:	◯ Libra 1" Hemi V	Vedge			Cushion Rigidizer:	16" D 18" I	O 20" / 22" D		
	O Libra 1" Anterio	r Seat Wedge			For All Cushions	16" Width O	<u>O</u>		
	C Libra Tapered V	Vedge Left				18" Width O	0		
	Libra Tapered V	Vedge Right				20" Width (O		
	Libra Abductor					22" Width]	<u> </u>		
	(Infection Contro	1 Slingover for Me	stry Cuchions						
	O linection Contro	i Supcover for Ma	tti x Cusiliolis						
				Rook C	Intions				
	O 25"			Back C	1	A C C . T	· e (CTC) ~ ·		
Back Height:	O 32"			Standard	Back Seating:	Comfort Tension Seat	ting® (CTS) Standard		
	○ 33.5"	○ 35"				Back Recline Full (E122	26)(>15° - < 80°)		
Back Recline:	Back Recline S			_		Such reconner on (D122	/(10 = 00)		
DACK NECHHE:	O Back Recinite S	CIII (0 - 13)		Dook Cush:	on Ontions				
Duada Daala	Cashiana In dada	. I I 0. I		Back Cushi		L:	2		
Broda Back	Cusmons include				with Cover, Foot Cus		N		
			Vinyl Back		Back (Grey)	Startex Back	N		
		\circ	Full Vinyl Wra	p Back					
O D d- Cl' I	D. 4 D. 11 (C	DD) Dl- Cl-i				○ 22" ○ 24" ○ 26" ○ 28"	E2612 E2612		
_	Posture Padding (S		on			0.454 0.454 0.454			
Back:	O 16" O 18"	○ 20"			Back Extensio		" E2611		
13" Height	<u>22"</u> 24"				12" Height	<u>22"</u> 24"	E2612		
	○ 26"					○ 26"	E2612		
				iir) (Upper la	teral padding not includ	ed with lateral mount - select	options below)		
Lateral Should	ler Support Optio	ns: (lateral moun	t required)						
		Standard I APP V4 S Wing Cov	ers Short(Pair)	ir) APP V4	○ Rounded Short (E0 ○ Rounded Long (E0 Lateral Shoulder Suppo	956)(Pair) ÖACC orts - Pair	Short(E0956)(Pair Long (E0956)(Pair		
			ers Long (Pair)			l short or standard long bolsters	only)		
Neck Support	Option:		E0955)	Neck Supp	ort				
			E0955)	Neck Supp	ort Visco Foam Contoure	d Cushion () Triptex	Omit Standard		
		○NS (E0955)	Neck Sup	port Soft Visco Cushio	1	Neck Support		
			Positionint Pado	ling (APP) H	lead Support	Seat Width:	······		
							6"		
			Commor	n Cushion U	pgrades				
Positioning:	○SR	E0956 La	teral Support Re						
_	○ SAS	E0956 Side Arm Supports - Pair							
	CC-LTS		mfort Company		ports - Pair		······································		
	○LTS				ORY INSTALLED RECO	MMENDED) - Pair			
Front Morr	nt Configuration	E0750 Ea	rerse supp		heel Options	Rear Mount Configuration	tion		
)-:					uui		
	k Caster Wheels - I			Standard		Wheels - Pair	i		
	Twin Caster Wheels			.		Wheels - Pair			
() 5" Aluminun	n Non-Locking Cas	ster Wheels - Pai	r*		○ 22" Mag	Wheels - Pair*			
*(available w	ith rear mags only)				*(22" ma	g may slightly limit tilt depend	ling on arm support h		
	vices(factory reauir	ed safety feature)	(E0971)			Brake Extension Handles (I			

3



Elite Rehab Wheelchair Model: 550 SR

			T T G	. 0	(1 . 0)					
			Lower Leg Sup							
Angle Adjustable, Articulating Split Lower Leg Support (E0990) (not available in 16" seat width)										
Choose Numbe	r of Straps (foot supp	ort length	range) $\bigcirc 2 (12"-19")$	\bigcirc 3 (14"-21")	\bigcirc 4 (16"-23"	$\bigcirc 5 (18)$	3"-25")			
	Choose Number of Straps (foot support length range) \(\text{\substitute} 2 (12"-19") \) \(\text{\substitute} 3 (14"-21") \) \(\text{\substitute} 4 (16"-23") \) \(\text{\substitute} 5 (18"-25") \)									
Angle Adjustable, Articulating Single Lower Leg Support (E0990)										
Choose Number of Straps (foot support length range) 2 (12"-19") 3 (14"-21") 4 (16"-23") 5 (18"-25") Angle Adjustable, Articulating ABS Lower Leg Support (E0990) (includes foot cushions 16"-24" widths)										
Angle Adjus	stable, Articulating A	BS Lower	Leg Support (E0990) (includ	les foot cushions 16"-2-	4" widths)					
	O ED LONG	E0005								
Foot Cushions:	: ○FB-LONG	E0995	Lower Leg Support Foot	box - Full Extend			t Foot Cushions	•••		
	○ ADD C-16 % E		A DD C-16 1 E4 C		Se	O		O 20"		
	APP Calf & Foo	n	APP Calf and Foot Supp	orı	Wie	dth: () 16"		20"		
							O 22" (24"		
							O 26" (<u>28"</u>		
			Arm Suppor	t Options (Selec	ct One)					
Armrest Option	ons:	O Arm S	Supports - Pair							
Long Arm Supports - Pair										
			w Arm Support - Pair							
			oned Flip Arm Supports - Pa							
		O Long (Cushioned Flip Arm Suppor	ts						
		O Arm S	Support Trough - Each							
		O Long C	ushioned Arm Supports* - Pa	air			•••••••••••	•••••		
			npatible with a trav							
A C	C41		Mounted Adjustable Remov	able Arm Sunno	orte (E0073)					
Arm Support	Style:	Seat N	Toullied Adjustable Remov	able Allii Suppo	ons (E0973)					
			Common A	Accessories						
Pelvic Belts:	○ S-BELT	E0978	Pelvic Belt		00	Center Buckle	O Side Buckle			
	○ S-BELT-A	E0978	Pelvic Belt Auto Buckle		\cap	Center Buckle	O Side Buckle			
	○ S-BELT-PD	E0978	Pelvic Belt Cushioned							
	○ S-BELT-PD-A			A 4 D1-1 -						
			Pelvic Belt Cushioned &	Auto Buckie						
Thigh Belts:		E0957	Thigh Belt Cushioned							
		E0957	Thigh Belt Cushioned &	Auto Buckle						
	○ T-BELT-NEO	E0957	Thigh Belt Cushioned No	eoprene			••••••			
	OT-BELT-NEO-A				ıckle					
	○ T-BELT-NEO-A									
	O T-BELT-NEO-A-									
Trays:	○ TRAY-ABS	E0950	Tray ABS with Strap		Sewn Tray Str					
	○ TRAY-ABS-OVR	E0950	Tray ABS with Strap (24	" - 28" widths)		○ Blacl	k Only			
	○ TRAY-CLEAR	E0950	Tray Clear with Strap	(Sewn Tray Str 	ap				
	○ TRAY-HALF	E0950	Half Tray (side specific)(i							
	○ TRAY-COVER		Cushioned ABS Tray Co							
Stabilizers:	O STABIL-FR		Front or Rear Mou		(salaat ona)(nair)					
Stabilizers.					(select one)(pair)					
0.1	O STABIL-LAT	77.01.05	Lateral Frame Stabilizers							
Other:	○ IV-POLE	K0105	IV Pole and Assembly -							
	○ O2-HOLDER	E2208	Oxygen Holder and Asse	mbly - Front Mo	ount					
	OACCESSORY-B	BAG	Accessory Bag (Black) E	lach						
	OBAG PERSONALIZING (2 Initials) OBrush Fon OR OBlock Font									
	O2-HOLDER-BAG (E2208) Oxygen Holder, Soft Carry Bag									
	○CUP-HOLDER		Cup Holder							
Additi	ional Options:									
Delivery I	nstructions or Speci	al Request	ts:				Total: \$			
•										
A		1.1141 1 1		1-4-41-41-1-1						
			arge, are available to accon			a customers				
and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order,										
any accessorial services needed to deliver are requested when an order is submitted to Broda.										
Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level										
Residential Delivery Service: Delivery to a residential location										
Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery										
Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building,										
upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs										
Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p										
Expedited delivery is available by customer request at the time of order, which is priced per order and is based on										
the delivery location and level of service.										

PSOF 02-ORDER-085NOV23