

Model: 85V



| PO: | Date: | | Customer #: | |
|-------------------------|---|--------------------------|---|----------|
| Customer Na Address: | me: | Ship To Name Address: | :: | |
| Phone: | | Phone: | | |
| Contact: | | Contact: | | |
| Email: | | Tag: | | |
| | | Standard | Features | |
| | Comfort Tension Seating® | | • 350lb Maximum Occupant Weight | |
| - Aller | • 2 x 20" Rear Mag Wheels | | • 2 x 5" Total Lock Front Caster Weels | |
| | Height Adjustable, Swing Away Removable | ole Arm Supports | • Tubular Steel, Powder Coated Frame | |
| | Angle Adjustable, Articulating Lower Leg | Support | Up to 40° Infinitely Adjustable Seat Tilt | |
| (A) | *This wheelchair has no recline feature. See and recline functions. | e Synthesis Positi | oning Wheelchair for both tilt | |
| | Elite Tilt Wheelchair - Mo | del: 85V | MSRP \$4,158.31 | |
| | Seat and Back | Support Optio | ns | |
| Seat Width: | <u>16"</u> <u>18"</u> <u>20"</u> | Seat Depth: | <u>15.5"</u> | |
| | 22" | | <u>17"</u> | |
| | <u>24"</u> <u>26"</u> <u>28"</u> | | <u> 18.5"</u> | |
| | | | 20" | |
| Seat Surface | 2 0 19.5" | | ○ 22" | |
| Height: | <u>20.5"</u> | Back Support | t ○ 32" | |
| | <u>22"</u> <u>23.5"</u> | Height: | 33.5" | |
| | | | 35" | |
| | Front Options Wheel Op | | Rear Options | |
| ◯ 5" Total L | ock Caster Wheels - Pair Standard | | heels - Pair | |
| | | ○ 14" Rear M | | |
| | | | irectional Locking Caster Wheels - Pair | |
| | | <u> </u> | ake Extension Handles - Pair | |
| A 1 . A .1 | Lower Leg Support | A (| · · | C+ 1 1 |
| | justable, Articulating Split Lower Leg Support (not ava | | · _ | Standard |
| | ber of Straps (support length range) \(\sum 2 (12"-19") \) | $\bigcirc 3 (14''-21)$ | $(1") \bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ | N/C |
| | ustable, Articulating Single Lower Leg Support | O 2 (14" 2) | 1") | N/C |
| | ber of Straps (support length range) 2 (12"-19") | <u> 3 (14"-21</u> | $(1") \bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ | |
| Contractu | re Sling (in place of lower leg support) Arm Supp | ort Options | | |
| Arm Support | Arm Supports - Pair | Arm Support | Height Adjustable Arm Supports | |
| Options: | O Long Arm Supports - Pair | Style: | Height & Depth Adjustable Arm Supports | |
| • | Cushioned Flip Arm Supports | Arm Support | Seat Mounted Arm Supports | |
| | O Long Cushioned Flip Arm Supports | Mount: | Base Mounted Arm Supports | |
| | Cushioned Arm Supports* - Pai | | | |
| | Arm Support Trough - Each \$1 | | | |
| | O Long Cushioned Arm Supports* - Pair | | | |
| | *Not compatible with a tray | | | |
| | Seating Frame a | and Color Opti | ons | |
| Strap Color: | ○ Grey ○ Blue N/C | Cushion | ○ Burgundy ○ Charcoal | N/C |
| | Black Green N/C | Color: | ○ Milano Stitch Barl ○ Sapphire Blue | N/C |
| Frame Color | \bigcirc Grev \bigcirc Black N/C | | | |



Elite Tilt Wheelchair

Model: 85V

| | | Cushions | s- Choose Option 1, 2, C | OR 3 | | | |
|----------------------|--|-------------------------|------------------------------------|---------------|----------------|-----------------------|-------|
| Option 1 | - Broda Cushions | | | | | | N/C |
| Standard Bro | da Cushions: | | | | | | |
| Includes: Nec | k Support, Lateral Shoulder | r Supports, Foot Suppor | t Cushions, Upper & Low | er Side Cove | ers, Seat & | Back Cushions with Co | overs |
| Seat & Back | Cushion Cover | Orey Terry Cover | · O Startex Cover | | | | |
| Options: | *************************************** | ○ Vinyl | | | | | ••••• |
| Lateral Shou | ılder Support () Standa | rd Short | O Rounded Short | | ○ ACC | Short | _ |
| Options: | • • · · · · · · · · · · · · · · · · · · | rd Long | Rounded Long | | () ACC | Long | |
| Huntington's | Special | S Long Lateral Shoulder | Support Covers, Thigh Bo | elt & Long I | Lower Leg S | Support Footbox | _ |
| Padding (HS | P) package: | | | | | | |
| - | | | | | | | |
| Optional Sul | bstitutions Available Be | etween APP & SPP (| Components | | | | |
| Option 2 | - Broda Additional Pos | itioning Padding (A | PP) (not compatible with 35 | 5" back suppo | rt height) | | |
| Broda APP P | adding Package Includes | s: Seat Cushion, Back | and Head Support, Foo | ot & Calf S | upport, Up | pper & Lower Side Co | overs |
| Seat Width: | \bigcirc 16" \bigcirc 18" \bigcirc 2 | 20" | Seat Depth: | ○ 17" | ○ 19" | ○21" | |
| | ○ 22" ○ 24" | | | ○ 17" | ○19" | ○21" | ••••• |
| | ○ 26" ○ 28" | | | ○ 17" | <u> </u> | ○21" | |
| Option 3 | - Broda Slim Posture P | adding (SPP) | | | | | |
| Broda SPP Pa | adding Options: Seat, Ba | ck Support, and Back | Support Extension Cus | shions | | | |
| Seat Width: | | 20" | Seat Depth: | ○ 17" | () 18.5" | ○20" | |
| | O 22" O 24" | | | <u> </u> | () 18.5" | <u>20"</u> | |
| | <u>26"</u> | | | <u> </u> | () 18.5" | ○20" | |
| Back Suppor | | 0" | Back Support | <u> </u> | <u>)</u> 18" (| <u> </u> | |
| Height: | ○ 22" ○ 24" | | Extension: | <u>)</u> 22" | <u>)</u> 24" | | |
| 13" Height | <u></u> | | 12" Height | <u> </u> | | | |
| | | C | ommon Accessories | | | | |
| Neck Support | s NR-CV | | oam Contoured Cushion | ○ Triptex | On | nit Standard Neck | |
| ** | Ŭ NS | Neck Support Soft V | | | | Support | |
| Positioning: | ○SR | Width Reduction Cu | shions - Pair | | | • | |
| _ | SAS | Side Arm Supports - | Pair | | | | |
| | ○ CC-LTS | Comfort Company L | ateral Supports - Pair | | | | |
| | ○ LTS | Lateral Torso Suppo | rts (FACTORY INSTALLI | ED RECOM | MENDED) | - Pair | |
| | | | | | Or | nit Foot Support | |
| Foot Cushion: | : () FB-LONG | Lower Leg Support l | Footbox - Full Extended | d Cushion | | Cushions | |
| Pelvic Belts: | ○ S-BELT | Pelvic Belt | | O Center | Buckle | ○ Side Buckle | |
| | ○ S-BELT-A | Pelvic Belt Auto Bud | ekle | ○ Center | Buckle | ◯ Side Buckle | ••••• |
| | ○ S-BELT-PD | Pelvic Belt Cushione | ed | | | | |
| | ○ S-BELT-PD-A | Pelvic Belt Cushione | ed & Auto Buckle | | | | |
| Thigh Belts: | ○T-BELT | Thigh Belt Cushione | ed | | | | |
| | ○ T-BELT-A | Thigh Belt Cushione | ed & Auto Buckle | | | | |
| | ○ T-BELT-NEO | Thigh Belt Cushione | ed Neoprene | | | | |
| | ○ T-BELT-NEO-A | Thigh Belt Cushione | d Neoprene Auto Buck | le | | | |
| | ○ T-BELT-NEO-APP | Thigh Belt Cushione | d Neoprene for APP & | SPP Packa | ges | | |
| | O T-BELT-NEO-A-APP | Thigh Belt Cushione | d Neoprene Auto Buck | le for APP | & SPP Pa | ckages | |
| Trays: | ○ TRAY-ABS | Tray ABS with Strap | Sewn Tray | Strap | () Grey | () Black | _ |
| • | ○ TRAY-ABS-OVR | Tray ABS with Strap | | |) Black | : Only | |
| | ○ TRAY-CLEAR | Tray Clear with Stray | | Strap | | | |
| | ○ TRAY-HALF | | îc)(includes upper side pa | | | | |
| | ○ TRAY-COVER | Cushioned ABS Tray | | | | | |
| Stabilizers: | ○ STABIL-FR | • | Mounted Stabilizers (se | lect one)(n | air) | | _ |
| Stabilizer 9. | OSTABIL-LAT | Lateral Frame Stabili | | icei one)(pe | <i></i> | | |
| | O STADIL LAT | Laterar France Statem | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Other: | ○ IV-POLE* | IV Pole and Assembly | Front or Rea | r Mount | | | |
| J. 111C1 . | O 1. 1 O L L | | $\frac{1}{2}$ | | | | |



Elite Tilt Wheelchair

Model: 85V

| O2-HOLDER* Oxygen Holder and Assembly OFront or Rear Mount |
|--|
| *IV-POLE and O2-HOLDER not compatible with rear mounted mag wheels |
| |
| OACCESSORY-BAG Accessory Bag (Black) Each |
| OBAG PERSONALIZING (2 Initials OBrush Font OR OBlock Font |
| O2-HOLDER-BAG Oxygen Holder, Soft Carry Bag |
| CUP-HOLDER Cup Holder |
| |
| Additional Options: |
| |
| |
| Delivery Instructions or Special Requests: |
| |
| Total: \$ |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers |
| |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p |
| Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda. Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level Residential Delivery Service: Delivery to a residential location Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs |

3