

**PO:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Customer #:** \_\_\_\_\_

Customer Name: \_\_\_\_\_ Ship To Name: \_\_\_\_\_  
 Address: \_\_\_\_\_ Address: \_\_\_\_\_  
 Phone: \_\_\_\_\_ Phone: \_\_\_\_\_  
 Contact: \_\_\_\_\_ Contact: \_\_\_\_\_  
 Email: \_\_\_\_\_ Tag: \_\_\_\_\_



(shown with optional upgrades)

Standard Features	
• 250lb Maximum Occupant Weight (rocking)	• Up to 40° Infinitely Adjustable Seat Tilt (non-rocking)
• 350lb Maximum Occupant Weight (non-rocking)	• Rocking Mechanism (for up to 33° of tilt)
• 500 lb Maximum Occupant Weight with the Heavy Duty Package (non-rocking only)	• Up to 33° Infinitely Adjustable Seat Tilt (rocking)
• Tubular Steel, Powder Coated Frame	• Seat Mount Lower Leg Support Assembly
• Adjustable Seat Surface Height	• 2 x 20" Front Mag wheels with Front Anti-Tippers
• Independent Adjustable Arm Support Height	• 2 x 5" Total Lock Rear Caster Wheels

## Encore Pedal Wheelchair® - Model: 48V4/48RV4 MSRP \$3,874.95

**WC19 Transit Tie Down Vehicle Package\*** - Factory Installed Only

\*Available up to a 24" seat width, unless selected with the Heavy Duty Package.

**Heavy Duty Package\*\*** - Factory Installed Only, Increases Maximum Occupant Weight to **500 lbs.**

\*\*Available in seat widths 22"-28" only. Non-rocking only. Aluminum front casters not available.  
 Sub-mount seat hanger style only with pin & saddle, angle-adjustable footplates (F-SW-ANGLE) only.  
 If combined with WC19 package, only mag wheels are available (20", 22" front or 14" rear with twin front casters)

### Seat and Back Support Options

<b>Rocking</b> <input type="radio"/> Eliminate Rocking	<b>Seat Depth:</b> <input type="radio"/> 17"
<b>Mechanism:</b> <input type="radio"/> Function	<input type="radio"/> 18.5"
<b>Seat Width:</b> <input type="radio"/> 16" <input type="radio"/> 18" <input type="radio"/> 20"	<input type="radio"/> 20"
<input type="radio"/> 22"	<b>Standard Back</b> <input type="radio"/> 32"
<b>Non-Rocking</b> <input type="radio"/> 24" <input type="radio"/> 26"	<b>Support Height:</b> <input type="radio"/> 33.5"
<b>Only</b> <input type="radio"/> 28"	<input type="radio"/> 35"
<b>Seat Surface</b> <input type="radio"/> 15"	<b>Short Back</b> <input type="radio"/> 22" (does not include
<b>Height Rocking</b> <input type="radio"/> 14" <input type="radio"/> 16" <input type="radio"/> 17"	<b>Support Height</b> Adjustable Lateral Shoulder Supports and Assembly,
<input type="radio"/> 18" <input type="radio"/> 19"	for Neck Support Option - see page 2)
<b>Seat Surface</b> <input type="radio"/> 12.5" <input type="radio"/> 13.5" <input type="radio"/> 14.5"	
<b>Height No Rock</b> <input type="radio"/> 15.5" <input type="radio"/> 16.5" <input type="radio"/> 17.5"	

Front Options	Wheel Options	Rear Options
---------------	---------------	--------------

<input type="radio"/> 20" Mag Wheels - Pair	Standard	<input type="radio"/> 5" Total Lock Caster Wheels - Pair
<input type="radio"/> 22" Mag Wheels - Pair	N/C	<input type="radio"/> 5" Aluminum Non-Locking Caster Wheels*

\*(available with front mags only.)

<input type="radio"/> 5" Total Lock Caster Wheels - Pair	<input type="radio"/> 14" Mag Wheels - Pair	N/C
<input type="radio"/> 5" Total Lock Caster Wheels - Pair	<input type="radio"/> 5" Fixed Non-Locking Caster Wheels - Pair	
<input type="radio"/> Parking Brake Extension Handles (pair)	<input type="radio"/> Front-Mount Wheel Locks - Pair	N/C

### Arm Support Options

<b>Arm Support</b> <input type="radio"/> Arm Support - Pair	Standard	<b>Arm Support</b> <input type="radio"/> Height Adjustable - Pair
<b>Cushion</b> <input type="radio"/> Arm Support Trough - Each		<b>Style:</b> <input type="radio"/> Height and Depth Adjustable - Pair
<b>Options:</b> <input type="radio"/> Cushioned Flip Arm Supports - Pair		<b>Arm Mount</b> <input checked="" type="radio"/> Seat Mounted Arm Supports - Pair
<input type="radio"/> Cushioned Arm Support* - Pair		

*\*Not compatible with trays*

**Seating and Frame Color Options**

Comfort Tension  Black      Standard      N/C      **Frame Colors:**       Black       Deep Orange      N/C  
 Seating Color:       Tungsten Sand       Bronze       Zinc Yellow       Royal Purple  
                                   Carmine Red       Ocean Blue       Satin Nickel       Passion Pink

**Upholstery Style Options (Select one)**

Accent Color Vinyl:       Interlace Indigo\*\*\*       Interlace Espresso\*\*\*       Interlace Graphite\*\*\*  
                                   Modena Black

Vinyl:       Beeline Portobello       Beeline Geysler       Beeline Forge       Kaleidoscope Smokehouse      N/C  
 Nylon:       Retro Camo Jungle

\*\*Upholstery Colors come with seat and back cushions in black vinyl. \*\*\*Interlace Indigo, Espresso, and Graphite available with seat and back cushions in matching vinyl color

**Cushions - Choose Option 1, 2, OR 3**

**Option 1 - Broda Standard Cushions**      N/C  
 Includes: Neck Support, Adjustable Lateral Shoulder Supports, Lower Side Covers, Seat and Back Support Cushions with Covers

Seat & Back Pad Cover       Black Vinyl      Standard  
 Options:       Accent Color Vinyl \*\*\*Option For Interlace: Indigo, Espresso or Graphite only      N/C  
                                  (Select Black Vinyl OR Accent Color Vinyl Above)  
                                   Full Vinyl Wrap Seat and Back Support Cushions  
                                  (Select Black Vinyl OR Accent Color Vinyl Above)  
                                   Grey Terry Cover      N/C

Lateral Shoulder Support       Lateral Shoulder Supports - Pair      N/C  
 Options:       Long Lateral Shoulder Supports - Pair

**Optional Substitutions Available Between APP & SPP Package Cushion Components**

**Option 2 - Broda Additional Positioning Padding (APP), 24"-28" seat widths for non-rocking only**  
 Broda APP Package Includes: Seat, Back and Head Support Cushions (no Head Support or Lateral Shoulder Supports on short back), plus Adjustable, Removable Lateral Shoulder Supports and Lateral Upper Leg Support Cushions

Seat Width:       16"       18"       20"      Seat Depth:       17"       19"       21"  
                                   22"       24"       17"       19"       21"  
                                   26"       28"       17"       19"       21"

**Option 3 - Broda Slim Posture Padding (SPP), 24"-26" seat widths for non-rocking only**  
 Broda SPP Cushion Options: Seat, Back Support, and Back Support Extension Cushions

Seat Width:       16"       18"       20"      Seat Depth:       17"       18.5"       20"  
                                   22"       24"       17"       18.5"       20"  
                                   26"       17"       18.5"       20"

Lower Back Support       16"       18"       20"      Upper Back Support       16"       18"       20"  
                                   22"       24"       22"       24"  
 13" Height       26"      12" Height       26"

**Matrx® Head Support (Available with 22" Short Back Option Only)**

Head Support Mounting:       Elan Head Support Hardware - Required with Selection of Head Support  
 Choose One       Elan Flipp Head Support Hardware - Required with Selection of Head Support  
                                   Loxx Head Support Hardware (E0128) - Required with Selection of Head Support  
                                   Loxx Flipp Head Support Hardware (E0128) - Required with Selection of Head Support

Support Options:       Head Support Cushion       10"       14"  
                                   Hug Head Support Cushion       10"       14"  
                                   Head Support 4 Point Cushion       9" x 7"       11" x 10"

Headband with 4 Point Cushion

Small

Large

<b>Drop In Style</b>	<b>Must Choose One Lower Leg Support Assembly Style</b>		<b>Pin and Saddle Style</b>
<input type="radio"/> Lower Leg Support Assembly (Drop-in)- Pair	N/C	<input type="radio"/> Lower Leg Support Assembly (Pin & Saddle) - Pair*	N/C

\*Pin & Saddle Lower Leg Support Assembly not available with 16" SW chair due to overlapping foot supports.

<b>Must Choose One Seat Mount Lower Leg Support Assembly Location</b>			
<input type="radio"/> Seat Frame Mount*	N/C	<input type="radio"/> Sub-Seat Frame Mount**	N/C

\*Not available on rocking version with 17" seat depth

\*\*Improves the ease of the rocking mechanism


\*Not available on non-rocking version when choosing 12.5"

seat surface height with pin & saddle style lower leg support assembly

Seat Frame Mount



Sub-Seat Frame Mount



<b>Drop-In Style</b>	<b>Lower Leg Support Options</b>	<b>Pin &amp; Saddle Style</b>
<input type="radio"/> F-SW-IKN: Swing Away Lower Leg Supports Silver - Pair	<input type="radio"/> F-SW: Swing Away Lower Leg Supports Black- Pair	<input type="radio"/> F-SW-ELV: Elevating Swing Away Lower Leg Supports
<input type="radio"/> F-SW-ELV-IKN: Elevating Swing Away Lower Leg Supports Silver Aluminum w/ Angle Adjustable Flip-up Foot Supports - Pair	<input type="radio"/> F-SW-ANGLE: Swing Away 70 Degree Lower Leg Support w/ Angle Adjustable Footplates Black*	<input type="radio"/> LEG-FOOT-ENCORE*: Lower Leg Support Foot Board
<input type="radio"/> F-SW-IKN-ADJ: Swing Away Lower Leg Supports Black Steel w/ Adjustable Flip-up Foot Supports - Pair		<input type="radio"/> LEGPANEL-ENCORE: Lower Leg Support ABS Cushions

\*Available with F-SW & F-SW-ELV only

2" Extended Footrest Tubes - **Only compatible on the F-SW-IKN and F-SW-IKN-ADJ**

Encore Pedal with Seat Mounted Hangers	Compatible with 14.5" Seat Height and above
Encore Pedal with Sub-Seat Mounted Hangers	Compatible with 15.5" Seat Height and above
Encore Pedal with Rocker with Seat Mounted Hangers	Compatible with 15" Seat Height and above
Encore Pedal with Rocker with Sub-Seat Mounted Hangers	Compatible with 16" Seat Height and above

**Common Accessories**

<b>Head</b>	<input type="radio"/> NR-CV	Head Support Visco Foam Contoured Cushion	<input type="radio"/> Triptex	<input type="radio"/> Omit Standard Head Support
<b>Supports:</b>	<input type="radio"/> NS	Neck Support Soft Visco Cushion		
<b>Positioning</b>	<input type="radio"/> SR	Width Reduction Cushion- Pair		
<b>Supports:</b>	<input type="radio"/> CC-LTS	Comfort Company Lateral Supports - Pair		
	<input type="radio"/> LTS	Lateral Torso Supports (FACTORY INSTALLED RECOMMENDED)		
<b>Pelvic Belts:</b>	<input type="radio"/> S-BELT	Pelvic Belt	<input type="radio"/> Center Buckle	<input type="radio"/> Side Buckle
	<input type="radio"/> S-BELT-A	Pelvic Belt Auto Buckle	<input type="radio"/> CenterBuckle	<input type="radio"/> Side Buckle
	<input type="radio"/> S-BELT-PD	Pelvic Belt Cushioned		
	<input type="radio"/> S-BELT-PD-A	Pelvic Belt Cushioned and Auto Buckle		
<b>Thigh Belts:</b>	<input type="radio"/> T-BELT	Thigh Belt Cushioned		
	<input type="radio"/> T-BELT-A	Thigh Belt Cushioned and Auto Buckle		
	<input type="radio"/> T-BELT-NEO	Thigh Belt Cushioned Neoprene		
	<input type="radio"/> T-BELT-NEO-A	Thigh Belt Cushioned Neoprene and Auto Buckle		
	<input type="radio"/> T-BELT-NEO-APP	Thigh Belt Cushioned Neoprene for APP & SPP Packages		
	<input type="radio"/> T-BELT-NEO-A-API	Thigh Belt Cushioned Neoprene Auto Buckle for APP & SPP Packages		

- Trays:**
- TRAY-ABS Tray ABS with Strap  Sewn Tray Strap  Grey  Black
  - TRAY-ABS-OVR Tray ABS with Strap (24" - 28" width)  Black Only
  - TRAY-CLEAR Tray Clear with Strap  Sewn Tray Strap
  - TRAY-HALF Half Tray (side specific)(includes lower side cover)  Grey  Black
  - TRAY-COVER Tray ABS Cushion Cover

- Other:**
- IV-POLE\* IV Pole & Assembly  Front or  Rear Mount
  - O2-HOLDER\* Oxygen Holder & Assembly  Front or  Rear Mount
  - \*If selecting rear mag wheels, the IV-POLE and O2-HOLDER must be front-mounted.
  - STABIL-FR Rear Stabilizer Frame
  - ACCESSORY-BAG Accessory Bag (Black) Each
  - BAG PERSONALIZING (2 Initials)  Brush Font  Block Font
  - O2-HOLDER-BAG Oxygen Holder, Soft Carry Bag (Not recommended with 22" back height due to potential ground interference.)
  - OCUP-HOLDER Cup Holder (not compatible with front mounted mag wheels)

**Additional Options:** \_\_\_\_\_

**Delivery Instructions or Special Requests:** \_\_\_\_\_

	Total: \$
--	-----------

**Accessorial Services:** Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. **To ensure a seamless delivery of each Broda order,**

**any accessorial services needed to deliver are requested when an order is submitted to Broda.**

- Lift Gate Service:** Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level
- Residential Delivery Service:** Delivery to a residential location
- Notification Before Delivery:** Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery
- Inside Delivery Service:** Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs
- Limited Access Service:** Delivery locations that are not open to the walk-in public, during normal business hours. Mon-Fri. 8a-5p

**Expedited delivery is available by customer request at the time of order, which is priced per order and is based on the delivery location and level of service.**