

Encore Rehab Wheelchair Model: 500RW

PO:		Date:			_	Customer #:			
Customer Name	e:			Ship To Name	e:				
Address:				Address:					
Phone:				Phone:					
Contact:				Contact:					
Email:				Tag:					
									_
					0. 1 15	7 /			
					Standard F				
		• Solid Seat Pan	T.			aximum Occupant Wei	•		
		• Tubular Steel, Powder Coated				le Seat Surface Height			
		Seat cushion, back & head supIndependent Height Adjustable	•			t Mount Mag Wheels ear Total Lock Caster V	Wheels		
	A721	 Rocking Mechanism (allows the state of the s				ear Total Lock Caster veg Support Assembly	viieeis		
	RU ALIANO	• Fold Down and Angle Adjusta				ole Arm Supports			
		• 33° Infinitely Adjustable Seat			Removae	ole Ailli Supports			
		•		7 1 1 7 001	DIII (E4:	1.(1) N.(CDD 0.2	100.65		
O XXX GAO TO		Encore Rehab Wh		<u> 10del: 5001</u>	RW (EL	161) MSRP \$3	<u>5,499.65</u>		
0		cle Package* - Factory Installed On	ly						
*Compatib	le only with F-SW-A	NGLE footrest	Cook and I	Daals Commont	Ontions				
Seat Width:	○ 16" ○ 18"			Back Support (Adjustable		<u> </u>			N/C
seat with.	O 20" (E2201)		N/C	Seat Depth:		<u> </u>			N/C
			•	Seat Depth:	20" (E22			7/	IN/C
	○ 22" (E2201)			O Solid Soo	it Pan (E223	/			
				Omit Sea		51)		. # F	N/C
				Back Cane		w Double Bend (16") Fix	vad	↑ -	Standard
Seat Surface	<u> </u>		N/C	Height:		") Fold Down	Ked	16"	N/C
Height:	○ 15"	Stan		Height.		(21") Fold Down		→ F (2)	N/C
Height.	\bigcirc 16" \bigcirc 17" \bigcirc 1		N/C			') Fold Down			N/C
	Front Option		Wheel Option	ns	<u> </u>) I old Down	Rear Options		14/6
20" Mag Whe		Stand			Lock Caster	r Wheels - Pair	Tieur opiions		Standard
◯ 22" Mag Whe			N/C			ocking Caster Whee	els - Pair		
		equired Safety Features				nsion Handles - Pair (
Quick Release			***		ount Wheel Locks - Pair N/C				
						ctory Set (Adjustable i	n the future)		
						naller Turning Radius			
				ОВ					
				ÖС					
				OD* (Most	Rearward) -	Larger Turning Radius	S		
			*Do not recommended with 20" Mag Wheels						
			Arm	Support Option	ons				
Arm Support	Arm Supports -	Pair Stand	ard	Arm Suppo	r ○ Height A	Adjustable Arm Supports	(E0973)		
Cushion	Arm Support Tro	ough - Each		Style:	○ *Height a	and Depth Adjustable Ar	rm Supports		
Options:	Cushioned Flip A	rm Supports - Pair			*Not compat	tible with 22" mag wheels	s in the 14", 15", & 16	6" seat heights	
	Cushioned Arm	Supports* -Pair		Arm Suppo	r Seat Mou	unted Arm Supports			Standard
	*Not compatible wi	th a tray		Mount:					
				ne Color Optio					
Frame Color		ep Orange Carmine I		Tungsten		Ocean Blue			
	Bronze Dram In Stule	Satin Nickel	O Passion Pi		Royal		w Zinc		
	Drop In Style	Must Choose Lov	ver Leg Support A			•			N 1/C
SM-HANGER	R-48RV4-RKR-IKN (p Drop In Style		ower Leg Suppor			R-RKR-PIN (pair) Saddle Style			N/C
○ F-SW-IKN Sv	ving Away Lower Leg		l Leg Suppor			ower Leg Support Black -	- Pair		
○ F-SW-IKN AI	DJ Swing Away Lower	Leg Support Black - Pair		○F-SW-EI	LV Elevating S	Swing Lower Leg Suppor	rt Black - Pair (E099	90)	
,	. 11 82 8 5	(77.00.10)		~					
	stable Flip-up Foot Sur		<u> </u>			vating Swing Away Lower I		0990)	
		way Lower Leg Support Silver (E0990)) .	w/ Angle Adjustable Flip-up Foot Supports(K0040)					
	stable Flip-up Foot Sup			F-SW-ANGLE Swin Away 70 Degree Lower Leg Support					
	E0951) - Pair (for 3 abo		w/ Angle Adjustable Footplates (K00040)						
0	C	Support Panel (E0995)				E Lower Leg Support Pa	inel (E0995)		
		ar in the lowest seat surface height. S		vate lower leg su	ipport as need	ded			
∪ Z 'Extended	rootrest Tubes - ()n	ly compatible on the F-SW-IKN at	10 F-SW-IK/N-ADJ						



			Knee-to-Heel Range			
		Eront Dissins 84s d-1	Description	Minima	Mayim	
		Front Rigging Model	Description Range Adjusts in 1" increment	Minimum nts	Maximum	
		17"				
			700 5	40"	(19" with	
			70° Drop-in, silver	13"	optional	
		F-SW-IKN			extender)	
					17"	
			70° Drop-in w/ angle	13"	(19" with	
			adjustable footplates, black	13	optional	
					extender)	
		F-SW-IKN-ADJ				
			Range Adjusts in 3/4" increme	ents		
			70° Pin & Saddle, black	11"	14"	
		F-SW				
			70° Pin & Saddle w angle	11"	14.75"	
			adjustable footplates, black			
		F-SW-ANGLE				
			Pin & Saddle, elevating, black	15.25"	18.25"	
		F-SW-ELV				
		1-300-220				
			Pin & Saddle, elevating w/			
			angle adjustable footplates,	15.25"	18.25"	
			black	13.23	10.23	
		F-SW-ELV-ANGLE				
		F-3VV-ELV-AINGLE	Infinite Range Adjustments	<u></u>		
			minite Runge Aujustinents	, 		
			Drop-in, elevating w/ angle			
			adjustable footplates, silver	13"	20"	
		E CM/ ELV/ IVN				
		F-SW-ELV-IKN	Comm	on Accessori	es	
Pelvic Belts:	○ S-BELT	Pelvic Belt (E0978)			Ctr Buckle	
	○ S-BELT-A	Pelvic Belt Auto Buckle	(E0978)		Ctr Buckle	
	○ S-BELT-587V3	Pelvic Belt Grommet Mo			Ctr Buckle	
Гrays:	○ TRAY-ABS	Tray ABS with Strap (E0	○ Sewi	ı Strap		
	○ TRAY-ABS-OVR	Tray ABS with Strap (24	!" - 28" width) (E0950)			
	○ TRAY-CLEAR	Tray Clear with Strap (E			Sewn Tray	
	○ TRAY-HALF	Half Tray (E0950) (side	specific)(with upper side pad)			
	○ TRAY-COVER	Tray ABS Cushion Cove				
Other:	O IV-POLE (K0105)	IV Pole and Assembly -				
		8) Oxygen Holder and Ass		Rear Mount		
		(E2208) Oxygen Holder, S	Soft Carry Bag			
Positioning	○ STABIL-FR	Rear Stabilizer Frame	P-i- (F005()			

Width Reduction Cushions - Pair (E0956)

Positioning:





				Matrx®	Seating S	Series					
				Matry®	Seat Cus	hions		_			
		For Co	orrect Fit:	Cushion Size Sho			Seat Dime	nsions			
Seat Cushion Depth:	<u> </u>	<u> </u>	20"	22" (Only ava							
•							·				
Seat Cushion Width:	<u> </u>	<u> </u>	<u>20"</u>]	Seat Cushion	Width:	<u>22"</u>				
Libra (E2624)-Recommended for highest risk of or existing skin					Clibra (E262	5) - Recommend	led for highe	est risk of or existing skin breakdown	n		
breakdown Multi (E2607)-Recommended for moderate to high risk of skin					○ Multi (E2608)-Recommended for moderate to high risk of skin breakdown						
breakdown		Wilder (22000) Recommended for moderate to high risk of skin oreakdown									
○ Vi (E2607) - Recommend	ded for moderate	to high risk of skin			O 11' (F2 <00)						
breakdown () PSP (E2607) - Recomme	nded for modera			○ Vi (E2608) - Recommended for moderate to high risk of skin breakdown							
breakdown											
OPS (E2605) - Recommen breakdown		PS (E2606) - Recommended for low to moderate risk of skin breakdown									
oreardown			-		O15 (E2000)	- Recommended	101 low to 1	moderate risk of skill ofeakdown			
Libra _					Multi, Vi, PSP & PS						
	Fluid Suppler	nent			Cushion Accessories: OPelvic Obliquity Kit						
	1" Hemi Wed	·Ж									
	1" Anterior S				Cushion Rigid		6" Depth	18" Depth	20" / 22" Depth		
	Tapered Wed				All Cushions	16" Width (-	0	0		
	Tapered Wed	ge Right				18" Width (_	0	0		
Clora	Abductor			_		20" Width (O N/A	<u> </u>	0		
I						22 W Idili	IN/A	<u> </u>			
				Ma	trx® Back	S					
		For (Correct Fit	t: Back Size Shoi	ıld Match Sele	cted Chair Se	eat Dimens	sions			
Back Height: 016"	' \(\) 18"(exclud	des PB & PB Deep)	<u>20"</u>								
Back Width:		20"		٦	Back Width:	<u>22"</u>					
immersion and airflow					☐ Elite TR (E2621) - Recommended for tilt in space & recline applications						
E2 Deep (E2620) - Recor immersion w/ contoured sup		rs seeking optimal			○ Elite (E2621) - Recommended for more active users						
\bigcirc Elite TR (E2620) - Reco		in space & recline				······		active users with contoured support			
applications		-			needs	0 =					
Elite (E2620) - Recommo					Matrx Back Military	Air Force					
○ Elite Deep (E2620) - Recontoured support needs	commended for a	ctive users with			Service	Army					
○ PB (E2615) - Recommer											
comfort ○ PB Deep (E2615) - Reco		Decals:	○ Marine								
comfort & support			○Navy								
E2 Back					Privacy	○ 16" Width S	Small Privac	y Flap			
Accessories: OE2 Che					Flap	O 18" Width N					
		e Lumbar/PSIS Support nal Support 7"Hx20"-32				20" Width L					
	Release Tab for P		2 L		Lateral	_		ls 5"Hx7.5"L (E0956)			
	ection Control Sli	î			Support			Lateral Hardware (E1028)			
• -	ep Infection Cont	-			Accessories:	O Swing Away	y Lateral Pac	d (Each) 4.25"Hx6.5"L (E0956)			
U Infection	on Control Slipco	over for Matrx Cushions		Matw	x® Headr	ost.					
Head Support Mounting	Flan Hea	d Support Hardware (F1028) _ Re								
Choose One		Head Support Hardware (
		d Support Hardware (·							
		p Head Support Hardy	`	3) - Required with	Selection of He	• • •					
Support Options:		pport Cushion (E095:				<u>10"</u>	<u>14"</u>				
		○ Hug Head Support Cushion (E0955) 10" 14" ○ Head Support 4-Point Cushion (E0955) 9" x 7" 11" x 10"									
		Headband with 4-Point Cushion (E0955) Small Large									
			,						·		

Encore Rehab Wheelchair Model: 500RW

US MSRP Order Form April 2024

Additional Options:	
Delivery Instructions or Special Requests:	
	Total: \$
Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers	
and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order,	
any accessorial services needed to deliver are requested when an order is submitted to Broda.	
○ Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level	
OResidential Delivery Service: Delivery to a residential location	
ONotification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery	
O Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building,	
upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs	
Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p	

Expedited delivery is available by customer request at the time of order, which is priced per order and is based on the delivery location and level of service.