


PressureGuard[®] Protocol[™]

Microclimate Management with Alternating Pressure Therapy



Effective.

Proven active pressure redistribution and microclimate management.

Efficient.

Patented "Air Diffusion Matrix[™]" design generates less noise, uses less power.

Exceptional.

Unmatched combination of air therapy, safety, stability, comfort and ease of use.

SPANAmerica

better science. better care.

PressureGuard® Protocol™

Delivering High Value, High Performance in Microclimate Management.

Our newest air therapy system brings together two time-tested design exclusives:



- **Proprietary "Air Diffusion Matrix"** offers direct delivery microclimate management ("low air loss") for control of excess moisture.
- **Clinically proven PressureGuard® integrated air system/engineered foam shell** design for an ideal combination of immersion, envelopment, shearing reduction, active air therapy, fall prevention, comfort, stability, fast set-up and ease of cleaning.



Efficient system design generates substantially less noise and consumes less than half the power of many traditional, blower-based "roll-up" surfaces.

- **Alternating pressure mode** gently changes loading across the surface in a 10-minute cycle.
- **"Float" mode** provides powered flotation therapy.
- **Simple comfort adjustment**, including ultra-soft "Max. Immersion" setting for users under 120 lbs.
- **Selectable audible alarm and indicator light** for low pressure notification.
- **Timed (30-minute) "Auto Firm"** function for added stability during transfers, ADLs & CPR.
- **Can maintain inflation during power interruption** and transport.



- **Right angled, swivel connectors** and flexible air lines.
- **Molded-in handle** for easy transport.
- **Heavy-duty** mounting hooks.



- **Flush-mounted, detachable power cord** can be replaced if damaged.


Span Exclusive:

Patented* microclimate management design protects vulnerable skin by supplying a gentle, uninterrupted flow of air to help eliminate excess moisture.

*U.S. Patent numbers 6,782,574 and 7,296,315

Outer coverlet


- vapor-permeable, yet fluid-proof
- **Air Diffusion Matrix™** layer outperforms typical batting
- wipes clean in place with standard hospital-grade cleaners
- machine launderable




Inner air delivery cover

- dedicated air supply
- continuous airflow through Air Diffusion Matrix™ layer
- sweeps away moisture vapor before it can re-form as a liquid
- reduces maceration, especially effective at the sacrum

PressureGuard Advantage:



Geo-Matt® segmentation
Provides tissue-friendly, non-shearing top surface.



Safety Edge™ design
Ensures safer transfers, minimizes risk of falls and entrapment.



Protective Heel Slope™
Redistributes pressure away from vulnerable heels.

| Item # | Description |
|----------------------|--|
| P7535-29 | Protocol with control unit and coverlet, 75"L x 35"W x 7"H |
| P8035-29 | Protocol with control unit and coverlet, 80"L x 35"W x 7"H |
| P8435-29 | Protocol with control unit and coverlet, 84"L x 35"W x 7"H |
| 3400 | Protocol control unit |
| Control unit: | Weight: 11.5 lbs. Dimensions: 14" x 9.25" x 6.5" Voltage: AC 110-120V Frequency: 60 Hertz Certification: CAN/CSA-C22.2 No.60601-1-08 and AAMI ES60601-1:2005 |
| Flammability: | Conforms to NFPA 101 (Life Safety Code) / ASTM E1590; Cal Tech Bulletin #117 (2013); 16 CFR Parts 1632 and 1633. |
| Weight limit: | 400 lbs. Mattress weight: approx. 22 lbs. Warranty: 18 months non-prorated |