

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

Price List and Order Form



Yes, you can.®

TRANSACTION TYPE:

Order Quote

Date _____ Account # _____ P.O. # _____

Company Name _____ Phone # _____

Address _____ City _____ State _____ Zip Code _____ Country _____

Contact Name _____ Comments _____

Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

FRAME SELECTIONS

FRAME TYPE

SOLARA3G Solara 3G Tilt-in-Space wheelchair E1161
A seating system must be purchased. No seating system is provided. 300 lb standard weight capacity.

CUSTOM PACKAGES

HDPG Heavy Duty Package (400 lbs. Weight Capacity)
Reinforced axles and crossbraces. Weight limit of 400 lbs.

SUSPENSION SELECTION

SUSPENSION

DROCK Seating Dynamics Rocker Back
Not available with HDPG, LOSHEAR, LOSHEARWO, RCANE, FLDBACK. See www.seatingdynamics.com for more details.

FLSF Frog Legs Suspension Forks
Not available with HDPG. See chart page 7.

SPACK Suspension Package
Not available with HDPG, LOSHEAR, LOSHEARWO, RCANE, FLDBACK. Includes DROCK and FLSF.

Transport Tie Down

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

TRANSPORT/VENT TRAY SELECTION

TRANSPORT TIE DOWN

Clear

TRBKTS Transport Brackets
Not available with AVENT, BACKVENT, P750, 2218.
Now available as a service part kit for existing models.

VENT TRAY OPTION

AVENT Ventilator Tray (each)
Not available with HDPG.
Available with 16" wide frame and above and 18" Seat-to-Floor Height and above.

ATBOX Ventilator Battery Box (each)

BACKVENT Laptop Vent Tray
Not available with HDPG, LOSHEAR, P750.
Available with 15" wide frame and above.

FRAME SELECTIONS

TILTING OPTIONS

FRLT Cable-Free Foot Release-Left Mount No Charge

FRRT Cable-Free Foot Release-Right Mount No Charge

THR Traditional Hand Release Standard

TLL Tilt Lock Levers No Charge

TLC Tilt Lock Stops (pair)
Additional pair of tilt lock stops, one pair comes standa

SEAT WIDTH RANGE

SWR1216 12" - 16" Seat Width Range No Charge
Not available with HDPG.

SWR1418 14" - 18" Seat Width Range No Charge

SWR1620 16" - 20" Seat Width Range No Charge

SWR1822 18" - 22" Seat Width Range No Charge

SWR2024 20" - 24" Seat Width Range No Charge

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

SEAT WIDTH

- W12 12" Wide No Charge
- W13 13" Wide No Charge
- W14 14" Wide No Charge
- W15 15" Wide No Charge
- W16 16" Wide No Charge
- W17 17" Wide No Charge
- W18 18" Wide No Charge
- W19 19" Wide No Charge
- W20 20" Wide E2201
- W21 21" Wide E2201
K0108
- W22 22" Wide E2201
K0108
- W23 23" Wide E2201
K0108
- W24 24" Wide E2202
K0108

SEAT DEPTH RANGE

- SDR1216 12" – 16" Seat Depth Range No Charge
Tilt Assist feature not available on this frame.
- SDR1519 15" – 19" Seat Depth Range No Charge
- SDR1822 18" – 22" Seat Depth Range No Charge

SEAT DEPTH

- D12 12" Seat Depth No Charge
- D13 13" Seat Depth No Charge
- D14 14" Seat Depth No Charge
- D15 15" Seat Depth No Charge
- D16 16" Seat Depth No Charge
- D17 17" Seat Depth No Charge
- D18 18" Seat Depth No Charge
- D19 19" Seat Depth No Charge
- D20 20" Seat Depth E2203
- D21 21" Seat Depth E2203
K0108
- D22 22" Seat Depth E2204
K0108

FRAME FINISH

FRAME COLORS

- 24P Wet Black No Charge
- 29P White Snow No Charge
- 60P Silver Metallic No Charge
- 115P Black Prism No Charge
- 105P Midnight Blue No Charge
- 116P Sunkissed Orange No Charge
- 117P Tangerine Red No Charge
- 30P Sunny Yellow No Charge
- 61P Electric Red No Charge
- 119P Bubblegum Pink No Charge
- 120P Grape Madness No Charge
- 62P Electric Blue No Charge
- 127P Grasshopper Green No Charge
- Touch Up Paint
Touch up paint is not available in all colors.
- Touch Up Color

CASTER, WHEEL AND TIRE SELECTIONS

SEAT-TO-FLOOR HEIGHT

- STF125 Seat-To-Floor 12 1/2" (10 1/2" w/DPSEAT) No Charge
- STF13 Seat-To-Floor 13" (11" w/DPSEAT) No Charge
- STF135 Seat-To-Floor 13 1/2" (11 1/2" w/DPSEAT) No Charge
- STF14 Seat-To-Floor 14" (12" w/DPSEAT) No Charge
- STF145 Seat-To-Floor 14 1/2" (12 1/2" w/DPSEAT) No Charge
- STF15 Seat-To-Floor 15" (13" w/DPSEAT) No Charge
- STF155 Seat-To-Floor 15 1/2" (13 1/2" w/DPSEAT) No Charge
- STF16 Seat-To-Floor 16" (14" w/DPSEAT) No Charge
- STF165 Seat-To-Floor 16 1/2" (14 1/2" w/DPSEAT) No Charge
- STF17 Seat-To-Floor 17" (15" w/DPSEAT) No Charge
- STF175 Seat-To-Floor 17 1/2" (15 1/2" w/DPSEAT) No Charge
- STF18 Seat-To-Floor 18" (16" w/DPSEAT) No Charge
- STF185 Seat-To-Floor 18 1/2" (16 1/2" w/DPSEAT) No Charge
- STF19 Seat-To-Floor 19" (17" w/DPSEAT) No Charge

CASTER OPTIONS (PAIR)

- 4SPLT 4" x 1" Composite Urethane Light Up
Not available with HDPPG.
- 4ALUM2 4" x 1.4" Aluminum Soft Roll
- 5SPLT 5" x 1 Composite Urethane Light Up
Not available with HDPPG.
- 51DC 5" x 1" Urethane Casters
Not available with HDPPG.
- 5ALUM2 5" x 1.4" Aluminum Soft Roll
- 61DC 6" x 1" Urethane Caster
Not available with HDPPG.
- 1259 6" x 2" Semi-Pneumatic Casters
Not available with HDPPG.
- 6ALUM2 6" x 1.4" Aluminum Soft Roll
- 81DC 8" x 1" Urethane Casters
- 815DC 8" x 1.5" Urethane Caster

WHEEL OPTIONS (PAIR)

- 12COM 12" Composite Wheels No Charge
- 16COM 16" Composite Wheels No Charge
*Not available with urethane tires.
Only available with aluminum handrims.*
- 18COM 18" Composite Wheels No Charge
*Not available with urethane tires.
Only available with aluminum handrims.*
- 20COM 20" Composite Wheels No Charge
- 22COM 22" Composite Wheels No Charge
- 24COM 24" Composite Wheels No Charge

AXLE TYPE (PAIR)

- A1577 Quick Release Axles No Charge
- PAXLE Permanent Axles Standard

TIRE OPTIONS (PAIR)

- PNEU Pneumatic Tires
Not available with HDPPG.
- PNEUFF Flat Free Inserts
- URETH Urethane (Treaded) Tires

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

| Front and Rear Seat-to-Floor Heights (measured from Floor to Top of Seat Rail) | | | | | |
|--|--|--|--|--|--|
| Rear Wheel | 4" 4SPLT 4ALUM2 | 5" 51DC 5ALUM2 5SPLT | 6" 61DC 6ALUM2 | 6" 1259 | 8" 81DC 815DC |
| 12" Pneu PneuFF | 12 1/2" 13" 13 1/2" 15 1/2" 16" | 13 1/2" 15 1/2" 16" | 15 1/2" 16" 16 1/2" 17" | 15 1/2" 16" 16 1/2" 17" 18" | 16 1/2" 17" 17 1/2" 18" |
| 12" Urethane | 12 1/2" 14 1/2" 15" 15 1/2" 16" | 14 1/2" 15" 15 1/2" 16" 16 1/2" | 14 1/2" 15" 15 1/2" 16" 16 1/2" | 14 1/2" 15" 15 1/2" 16" 16 1/2" | 16 1/2" 17" |
| 16" | 12 1/2" 13" 13 1/2" 14" 14 1/2" 15" | 13 1/2" 14" 14 1/2" 15" | 14 1/2" 15" 17" | 14 1/2" 15" 17" 17 1/2" 18" | 17" 17 1/2" 18" 18 1/2" 19" |
| 18" | 13 1/2" 14" 14 1/2" 15" 15 1/2" 16" | 13 1/2" 14" 14 1/2" 15" 15 1/2" 16" | 14 1/2" 15" 15 1/2" 16" | 14 1/2" 15" 15 1/2" 16" 18" | 18" 18 1/2" 19" |
| 20" | 15" 15 1/2" 16" | 15" 15 1/2" 16" 16 1/2" | 15" 15 1/2" 16" 16 1/2" 17" 17" | 15" 15 1/2" 16" 16 1/2" 17" 17 1/2" | 16 1/2" 17" 17 1/2" 17 1/2" |
| 22" | 16" | 16" 16 1/2" | 16" 16 1/2" 17" | 16" 16 1/2" 17" 17 1/2" 18" 18" | 16 1/2" 17" 17 1/2" 18" 18 1/2" |
| 24" | N/A | 16 1/2" | 16 1/2" 17" | 16 1/2" 17" 17 1/2" 18" | 16 1/2" 17" 17 1/2" 18" 18 1/2" 19" |
| All Dimensions Are Approximate | | | | | |

WHEEL LOCKS

- FOOTBRK Foot Operated Push To Lock Wheel Lock
Not available with AVENT.
 - PULLLOCK Pull To Lock Wheel Locks (pair)
 - PUSHLOCK Push To Lock Wheel Locks (pair)
 - EXTLOCK Push To Lock with 6 Bolt-On Ext (pair)
 - FOOTHUB Foot Operated Hublock
 - ATHUB Cane Mount Hub Lock
 - USEHUB Seat Rail Mount Hub Lock
- Not available with 16COM.
 Not available with LOSHEAR or LOSHEARWO, 16CC
 Only available with TAD of TAF.
 Not available with 16COM.

ARM AND BACK SELECTIONS

SEAT STYLE Clear

FLSEAT or DPSEAT are solid seat pans and do not come standard with chair. Both pans grow in width and require no new hardware or parts when converting from flush to drop or vice versa.

- FLSEAT Flush Seat Pan
 - DPSEAT Drop Seat Pan
 - NOSEAT No Seat Pan \$0.00
- Accommodates 2" lower seat to floor heights. Use a cushion not less than 3" thick.

| Seat Pan Growth Range (1" increments) | |
|---------------------------------------|----------------------|
| Chair Width | Seat Pan Width Range |
| W12 | 12"-14" |
| W13 | 12"-14" |
| W14 | 13"-16" |
| W15 | 13"-16" |
| W16 | 15"-18" |
| W17 | 15"-18" |
| W18 | 17"-20" |
| W19 | 17"-20" |
| W20 | 19"-22" |
| W21 | 19"-22" |
| W22 | 21"-24" |
| W23 | 21"-24" |
| W24 | 23"-24" |

| Arm Heights (measured from Top of Seat Rail to Top of Armpad) | | |
|---|-------------------------------------|----------------------------|
| Arm Type | Low | High |
| TAD TAF | 6 1/2" - 12 1/2" 1/2" increments | 9" - 17" 1" increments |
| FXDESK FXFULL | 9 1/2" | 12" |
| ADJDESK ADJFULL | 9 1/2" - 13 1/2" 1" increments | 12" - 16" 1" increments |
| FADJDESK FADJFULL | 9" - 13" 1" increments | 12" - 16" 1" increments |

ARM HEIGHT Clear

- SARMHT Low Arm Height
- HARMHT High Arm Height

CANTILEVER ARMS

Not available with LOSHEAR or LOSHEARWO

- AT99N Cantilever Non Locking Bolt on Arms
- AT55D Cantilever Locking Desk Length Bolt on Arms ..
- AT55F Cantilever Locking Full Length Bolt on Arms ..

HANDRIM OPTIONS (PAIR)

- CHDRM Chrome Plated Handrims No Charge
- 1512 Plastic Coated Aluminum Handrims
- AT-1225-8 Plastic Coated with 8 Vertical Projections
Only available with 24COM7.
- AT-1224-8 Plastic Coated with 8 Oblique Projections
Only available with 24COM7.
- AT1225-12 Plastic Coated with 12 Vertical Projections
Only available with 24COM7.
- L8702 Omit Handrims

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

T-ARMS (PAIR)

Clear

- TAD Adjustable Height, Desk Length
- TAF Adjustable Height, Full Length

TWO-POINT, FIXED HEIGHT ARMS (PAIR)

Clear

Available on 15" seat depth and above.

- FXDESK Conventional, Desk Length No Charge
- FXFULL Conventional, Full Length No Charge

TWO-POINT, ADJUSTABLE HEIGHT ARMS (PAIR)

Clear

Available on 15" seat depth and above.

- ADJDESK Conventional, Desk Length
- ADJFULL Conventional, Full Length
- FADJDESK Flip-Back, Desk Length
Not available with LOSHEAR, LOSHEARWO or HDPG.
- FADJFULL Flip-Back, Full Length
Not available with LOSHEAR, LOSHEARWO or HDPG.

BACK TYPE

- SCANE Standard Aluminum Back Cane
- RCANE Steel-Reinforced Back Cane.
- LOSHEAR Low Shear Reclining Back with Upholstery ...
Not available with HDPG.
Comes with back upholstery and AASH.
Available on 14"-20" seat width.
- LOSHEARWO Low Shear Reclining Back without Upholstery ...
Not available with HDPG, headrest and pillow. Com
with AASH.
- RECEXT Reclining Headrest Pillow and Extension
- RLL Recliner Lockout Levers
Not available with SCANE or RCANE.
- RLC Recliner Lock Stops

| Back Cane Heights (measured from Top of Seat Rail) | | |
|--|--------------------------|---------------|
| Back Cane Type | Inches to 10 degree bend | Total Height |
| BH20 | Straight Cane | 20.5" |
| BH20B/BH24B | 15 1/2" | 24.5" |
| BH24 | Straight Cane | 24 1/2" |
| LOSHEAR | Straight Cane | 26" |
| LOSHEAR + Headrest | Straight Cane | 36" |
| ABH1720 | 16.2" - 21.2" | 29.3" - 34.3" |

BACK HEIGHT

Clear

- BH20B Back Height 20" with bend No Charge
Not available with P750.
- BH20 Strt Cane w Push Handle Back Ht 20" No Charge A9900
Not available with P750.
- BH24B Back Height 24" with bend No Charge
- BH24 Back Height 24" No Charge
- ABH1720 Adj Height Back Canes (17" - 20") No Charge
Not available with RCANE (because it consists of
heavy duty construction), 1483, ATHUB, P750.

Set Back Height at:

- 17" 18"
- 19" 20"

BACK CANE OPTIONS

Clear

- FXBACK Non-Fold Down Back Canes Standard
- FLDBACK Fold-Down Back Canes No Charge
Not available with LOSHEAR, DROCK.

POSITIONING STRAPS (EACH)

Clear

- 1515 Push Button Buckle Seat Positioning Strap
- 1321BK Hook and Loop Seat Positioning Strap
- 1311BK Airline Buckle Seat Positioning Strap
- 9515 Push Button Chest Positioning Strap
Not available with LOSHEAR or LOSHEARWO.
- 7321BK Hook and Loop Chest Positioning Strap
Not available with LOSHEAR or LOSHEARWO.
- 7311BK Airline Buckle Chest Positioning Strap
Not available with LOSHEAR or LOSHEARWO.

BODYPOINT® PADDED CALF STRAPS

Clear

See www.bodypoint.com for complete details. Measure chair width to determine size.

- BPCALFS Padded Calf Straps (13" - 15")
- BPCALFM Padded Calf Straps (15" - 18")
- BPCALFL Padded Calf Straps (18" - 22")

BODYPOINT® ANKLE HUGGERS®

Clear

See www.bodypoint.com for complete details. Measure circumference above ankle to determine size.

- BPAHGS Side - Release Ankle Huggers (6.5" - 8")
- BPAHGM Side - Release Ankle Huggers (7.5" - 9")
- BPAHGL Side - Release Ankle Huggers (8.5" - 11.5")
- BPAHGX Side - Release Ankle Huggers (11" - 13")

BODYPOINT® STAYFLEX™

Clear

See www.bodypoint.com for complete details. Measure shoulder width to determine size. BPSFM and BPSL are approximately 2" wider in center than BPSFNM and BPSFNL.

- BPSFM Anterior Trunk Support with Zip (13" - 16")
- BPSFL Anterior Trunk Support with Zip (16" - 19")
- BPSFNM Anterior Trunk Support Narrow with Zip (13" - 16")
- BPSFNL Anterior Trunk Support Narrow with Zip (16" - 19")

MISCELLANEOUS ACCESSORIES

BACK ACCESSORIES

- ADJRGD Adjustable Width Back Rigidizing Bar
- 1483 Non Adjustable Stroller Handle
- AASH Adj.Angle Stroller Handles (Outside Mount)
- AASHIN Adj.Angle Stroller Handles (Inside Mount)

MISCELLANEOUS ACCESSORIES


- 1209 Tire Pump
- P750 Oxygen Holder
Not available with HDPG, LOSHEAR,
LOSHEARWO, BH20, BH20B, ABH1720.
- 2218 IV Pole
Not available with LOSHEAR or LOSHEARWO.
- A1580 Rear Anti-Tippers
- BP02 Multi Pocket Backpack

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

FRONT RIGGING OPTIONS

FRONT RIGGING MOUNTING

- STDMNT** STD Front Rigging Mount Standard
- OFFMNT** Offset Front Rigging Mount No Charge
Not available with 12" - 16" seat depth range.



FRONT RIGGINGS (PAIR)

- 70LIFTNT** 70° Lift Off Non-Taper Footrests
 - 70LIFTMFX** 70° Lift Off MFX Footrests
Must select AT5543.
 - 90LIFTMFX** 90° Lift Off MFX Footrests
Must select AT5543.
 - SWING1319** 60° Swingaway Footrests
 - SWING914** 60° Swingaway Footrests MFX
 - 70NTAPER** 70° Swingaway Footrests
 - 70MFX** 70° Swingaway Footrests MFX
 - 70STAPER** 70° Tapered Footrests
 - 80NTAPER** 80° Swingaway Footrests
 - 80MFX** 80° Swingaway Footrests MFX
 - 90SWING** 90° Swingaway Footrests
 - AT5044LIFT** Lift Off Elevating Legrests
 - AT5044** Elevating Legrests
 - BILAT** Bi-Lateral Contracture Footrests
Not available with **HDPG OR 12 1/2" STF Height.**
 - ATL4A** Center Pivot Articulating Legrests
 - 110CP** Contracture Platform
- Not available with **HDPG.**
Available on 16"-22" seat widths.

FOOTPLATE TYPE (PAIR)

- 1651** Flip-Up Composite Footplates 1
Not available with **Bodypoint Ankle Huggers.**
- A1562** Aluminum Footplates
- A1564** Extra Large Aluminum Footplates
Not available with **Bodypoint Ankle Huggers.**
- AT5543** Adjustable Angle Flip-Up Footplates

ADJUSTABLE ANGLE FOOTPLATE RIGHT (EACH) Clear (BI-LATERAL CONTRACTURE FOOTREST ONLY)

Must select with BILAT.

- AAF325R** Adj. Angle Footplate Right 3 1/4" W
- AAF425R** Adj. Angle Footplate Right 4 1/4" W
- AAF525R** Adj. Angle Footplate Right 5 1/4" W
- AAF625R** Adj. Angle Footplate Right 6 1/4" W
- AAF725R** Adj. Angle Footplate Right 7 1/4" W

ADJUSTABLE ANGLE FOOTPLATE LEFT (EACH) Clear (BI-LATERAL CONTRACTURE FOOTREST ONLY)

Must select with BILAT.

- AAF325L** Adj. Angle Footplate Left 3 1/4" W
- AAF425L** Adj. Angle Footplate Left 4 1/4" W
- AAF525L** Adj. Angle Footplate Left 5 1/4" W
- AAF625L** Adj. Angle Footplate Left 6 1/4" W
- AAF725L** Adj. Angle Footplate Left 7 1/4" W

| Knee-to-Heel Range (Measured from edge of seat pan to back of footplate) | | |
|--|---------|---------|
| Front Rigging Type | Minimum | Maximum |
| Range adjusts in 1/2" increments. | | |
| 60° | 13 1/2" | 17 1/2" |
| 60° MFX | 10" | 13 1/2" |
| *70° | 13 1/2" | 18 1/2" |
| *70° Tapered | 13 1/4" | 17.00" |
| 80° | 10.5" | 16" |
| Bilateral Contracture STF125-STF16 | 5 1/2" | 9" |
| Bilateral Contracture STF165-STF19 | 5 1/2" | 13" |
| Range adjusts in 1" increments. | | |
| 70° MFX | 6 1/2" | 12 1/2" |
| 80° MFX | 4.5" | 9" |
| 90° | 4 1/2" | 7 1/2" |
| Infinite Range Adjustments | | |
| *Elevating | 14.00" | 20.00" |
| Articulating | 16.00" | 24.00" |
| Contracture Platform STF125-STF16 | 7 1/4" | 8 1/4" |
| Contracture Platform STF165-STF19 | 11 1/2" | 16" |
| * ALPT shifts range by 2" | | |

FOOTREST/LEGREST ACCESSORIES (PAIR)

- 1337** Calf Strap
- 9342** "H" Strap
- FRMPRB** ChairArmor Blue Neoprene Frame Protectors ...
Only available with **70LIFTNT, SWING1319, 70NTAPER, 70STAPER**
- FRMPRR** ChairArmor Red Neoprene Frame Protectors
Only available with **70LIFTNT, SWING1319, 70NTAPER, 70STAPER**
- FRMPRBK** ChairArmor Black Neoprene Frame Protectors .
Only available with **70LIFTNT, SWING1319, 70NTAPER, 70STAPER**
- ALPT** Longer Pivot And Slide Tubes
- ALPT3** 3" Extension For 90SWING Footrests
- SCLAMP** Clamp-On Sector Blocks.....
Not available with **70LIFTNT, 70LIFTMFX, 90LIFTMFX, AT5044LIFT, BILAT, 110CP.** Adjustable angle. See Fr Rigging Mounts image.
- CLFPDLRG** Large Calf Pad for Elevating Leg Rests.. No
Only available on Elevating leg rests.

HEEL AND TOE LOOP (PAIR)

- HLOOP** Heel Loops
- 1345** Toe Loops

Invacare® Solara™ 3G - Adult Tilt-in-Space Wheelchair

SEATING

- EC Absolute Cushion
- EC66 Absolute Cushion 16x16
- EC68 Absolute Cushion 16x18
- EC86 Absolute Cushion 18x16
- EC88 Absolute Cushion 18x18
- EC06 Absolute Cushion 20x16
- EC08 Absolute Cushion 20x18
- CW/(Size) Absolute Replacement Cover

SEATING CUSHION SELECTION

- ITSG Matrx Stabilite Gentle Contour Cushion
- ITFG Matrx Flovair Gentle Contour Cushion
- ITFM Matrx Flovair Max Contour Cushion
- MA-VI Matrx Vi Cushion
- PS-V Matrx PS Cushion
- LC Matrx Libra Cushion 16"w - 20"w
- LC Matrx Libra Cushion 21"w
- LC Matrx Libra Cushion 22"w

SEATING BACK SELECTION

- MPB-V Matrx PB Back
- MPBD Matrx PB Deep Back
- PBE Matrx Elite Back
- EDB Matrx Elite Deep Back
- PBE-TR Matrx Elite TR
- HDB Matrx PB Heavy Duty Back
- DHDB Matrx PB Deep Heavy Duty Back

Please specify the height of the back here.

 inches

Please Note - the height you request should be the material height of the back from the bottom of the back to the top of the back.
Backs range in size from 10" - 20" in 2" increments.
Not all backs available in all sizes.

HEADREST OPTIONS

- MEHSP-10 Matrx Elan Standard Pad 10"
- MEHSP-14 Matrx Elan Standard Pad 14"

HEADREST MOUNTING HARDWARE

- MEMAH Elan Multi-Axis Removable Hardware

FROGLEGS SUSPENSION FORKS

| Front & Rear-Seat-to-Floor Heights Measured from floor to top of seat rail | | | | | |
|---|--------------------------------------|----------------------------|-------------------|--------------------------------------|------------------|
| Rear Wheel | 4" 4SPLT | 5" 5IDC 5SPLT 5ALUM2 | 6" 6IDC 6ALUM2 | 6" 1259 | 8" 8IDC 8I5DC |
| 12" | 13.50" | 15.50" | 15.50" 16.00" | 16.50" 17.00" 17.50" 18.00" | N/A |
| 16" | 13.50" 14.00" 14.50" 15.00" | 14.50" 15.00" | N/A | 17.00" 17.50" 18.00" | 18.50" |
| 18" | 13.50" 14.00" 14.50" 15.00" | 14.50" 15.00" 15.50" | 15.50" 16.00" | 18.00" | 18.50" 19.00" |
| 20" | 15.00" | 15.00" 15.50" | 15.50" 16.00" | 16.50" 17.00" 17.50" | N/A |
| 22" | N/A | N/A | 16.00" | 16.50" 17.00" 17.50" 18.00" | 18.50" |
| 24" | N/A | N/A | N/A | 16.50" 17.00" 17.50" 18.00" | 18.50" 19.00" |

Basic Chair Includes:

- Solara Tilt-in-Space Frame
- Seat-to-Floor Height Selection
- Tilt Option (FRLT, FRRT, THR)
- Casters (4SPLT, 5SPLT, 5IDC, 6IDC, 8IDC)
- Frame Width (12"-19")
- Wheels
- Axles (A1577, PAXLE)
- Urethane Treaded Tires
- Handrims (AHDRM, CHDRM)
- Center-of-Gravity Setting - Based on seat depth and seat depth range. See page 7 for details.
- Frame Finish
- Two-Point Conventional Fixed Arms (FXDESK or FXFULL)
- Rear Anti-Tippers
- Aluminum or Steel Reinforced Back Canes
- Wheel Locks (PULLLOCK, PUSHLOCK)
- Back Height Selection
- Front Riggings (SWING1319, SWING914, 70NTAPER, 70MFX, 70STAPER, 90SWING)
- Fold Down Back
- Flip-up Composite Footplates