BRODA

Synthesis Positioning Wheelchair Model: V4

| PO: | | Date: | | _ | Customer #: | | |
|---------------|---|--|---|------------------|---|----------|--|
| Customer Nar | ne: | | Ship To Name | : | | | |
| Address: | | | Address: | | | | |
| Phone: | | | Phone: | | | | |
| Contact: | | | Contact: | | | | |
| Email: | | | Tag: | | | | |
| | | | C | | | | |
| I | | | Standar | d Featu | res | | |
| 2 | | Comfort Tension Seating® | | | 350lb Maximum Occupant | Weight | |
| 1 | - | | Up to 40° Infinitely Adjustable Seat Tilt | | Trendelenburg Capable | | |
| | - And | • Up to 90° Infinitely Adjustable I | Back Support Reclin | ne | Angle Adjustable, Articulat | ing | |
| | No. of the second se | • 2 x 20" Rear Mag Wheels | | _ | Lower Leg Support | | |
| DAL | | Height Adjustable, Swing-Away | | | • 5" Total Lock Front Caster | Wheels | |
| V | | • Height and Width Adjustable La | iteral Shoulder Sup | ports | | | |
| | Synthesi | s Positioning Wheelchair | r - Model: V4 | MSR | RP | | |
| | | Seat and Back S | upport Options | | | | |
| Seat Width: | | 20" N/C | Seat Depth: | <u> </u> | | Standard | |
| | <u> </u> | | | \bigcirc 18.5 | | N/C | |
| | ○ 24" ○ 26" | | | <u> </u> | | | |
| | | | | ◯ 22" | | | |
| Seat Surface | <u> </u> | | Back Height: | ○ 32" | | Standard | |
| Height: | <u> </u> | Standard | | \bigcirc 33.5 | ** | | |
| | ○ 22" ○ 23.5" | +··· | | ○ 35" | | | |
| | Front Options | Wheel Options | - | | | | |
| \cup | ock Caster Wheels - Pai | | 0 14" Mag W | | | Standard | |
| 0 | um Non-Locking Caste | r Wheels | <u>O</u> 20" Mag W | | Omit Hand Rims | N/C | |
| | with rear mags only) | | O 14" Mid Ma | | | N/C | |
| () 5" Locking | g Twin Caster Wheels | | \sim | | Locking Caster Wheels la | ess - | |
| | | Middle O | <u> </u> | | ision manules (pair) | | |
| | | 14" Mid Mags (comes wit | | Wheels) | | | |
| ∩ Parking Br | ake Extension Handles | <u> </u> | | wheels) | | | |
| | | Lower Leg Support (| Options (Select O | ne) | | | |
| 0 0 3 | · • • • | lit Lower Leg Support (not availa | ble in 16" seat widi | th) | | Standard | |
| | ແບບບານກັບການການການການຄືນແບບບ່ານການຄືນສົນການການການການ | | <u> </u> | $\bigcirc 4 (l)$ | 6"-23") | | |
| 0 0 0 | e e | igle Lower Leg Support | _ | _ | | N/C | |
| | per of Straps (support le | Ŭ | <i>○ 3 (14"-21")</i> | | 6"-23") | | |
| OAngle Adju | istable, Articulating AE | S Lower Leg Support (Includes of Arm Support | | oorts) (16 | " - 24" Widths) | | |
| Arm Support | t 🔿 Arm Supports - Pair | Arm Suppo Standard | A | O Heigh | nt Adjustable Arm Supports - Pa | Standard | |
| Cushion | \bigcirc Long Arm Supports | | Styles: | | t &Depth Adjustable Arm Supports | | |
| Options: | Arm Support Trough | | Arm Support | | Mounted Arm Supports | Standard | |
| optionst | Cushioned Flip Ar | | | - | Supports* - Pair | Standard | |
| | | lip Arm Supports - Pair | O Long Cubin | | Supports Tun | | |
| | Cushioned Arm Sup | າມຕົ້າແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນເມັນເຕັ້ນເຕັ້າແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນແມ່ນ | | | | | |
| | O Long Cushioned An | 1 | | | | | |
| | *Not compatible with | | | | | | |
| | | Seating Frame Color | Options (Select o | one) | | | |
| |) Carmine Red | Ocean Blue | С |) Midnigł | nt Black | N/C | |
| |) Satin Nickel | O Tungsten Sand | C |) Bronze | ◯ Zinc Yellow | N/C | |
| |) Passion Pink | 🔘 Royal Purple | | | | N/C | |



Upholstery Style Options (Select one)

* Standard cushion configuration: Neck Support, Exterior Lateral Shoulder Supports, upper and lower side covers and foot cushions

Accent Color. Seat, back and calf supports, and interior lateral shoulder supports come standard in Modena Black Vinyl. ** Interlace: Indigo, Espresso & Graphite are available on seat, back & calf support cushions & most accessories. *** In honor of our Veterans' Service, Camo options are now available.



BRODA



Standard Color Vinyl*: Shown with Beeline Geyser Upholstery & Tungsten Sand Frame Color Accent Color Vinyl**: Shown with Interlace Indigo Upholstery & Black Frame Color **Chair Shown with ABS Lower*

Leg Support

| Upholstery Accent C | Color* (Select One) |
|--|---|
| Vinyl: O Interlace Indigo** O Interlace Graphite** | Vinyl: OBeeline Portobello Beeline Geyser |
| ◯ Kaleidoscope Smokehouse ◯ Kaleidoscope Chocolate | O Beeline Fossil OBeeline Forge |
| ○ Modena Black ○ Interlace Espresso** | Nylon:*** |
| | O Retro Camo |
| Cushions - Choose | <i>Option 1, 2, or 3</i> |
| Option 1 - Broda Standard Cushions | N/C |
| Standard Broda Cushions: | |
| Includes: In Accent Color: Neck Support, Exterior Lateral Shoulder Sup | oports, Upper & Lower Side Cover & Foot Support Cushion*. |
| In Black Vinyl: Seat & Back Support Cushions with Covers, C | Calf Support Cushion & Interior Lateral Shoulder Support Cushions |
| Seat, Back Support & Calf () Modena Black Vinyl | Standard |
| Support Cover Options: | N/C |
| ***(For Interlace: Indigo, Espresso or | |
| ○ Full Vinyl Wrap Seat & Back Support | |
| (Select Modena Black Vinyl OR Accent | |
| ○ Calf Support Cushion Color | N/C |
| (Select Modena Black Vinyl OR Accent | • |
| O Grey Terry Cover | N/C |
| O Startex Cover | |
| | rts, Thigh Belt & Long Lower Leg Support Footbox |
| | a Black Vinyl O Accent Color Vinyl N/C |
| Long Lower Leg Support Footbox Color: | |
| Optional Substitutions Available Between APP & SPP Componen | |
| Option 2 - Broda Additional Positioning Padding (APP) (not com | |
| Broda APP Padding Package Includes: Seat Cushion, Back and Head | |
| Seat Width: 016" 18" 020" | Seat Depth: 017" 019" 021" |
| <u>022" 024"</u> | ○ 17" ○ 19" ○ 21" |
| ○ 26" | ○ 17" ○ 19" ○ 21" |
| ○ Option 3 - Broda Slim Posture Padding (SPP) | |
| Broda SPP Padding Options: Seat, Back Support, and Back Support E | |
| Seat Width: 016" 18" 020" | Seat Depth: 017" 018.5" 020" |
| <u>022" 024"</u> | <u>0 17" 0 18.5" 0 20"</u> |
| <u>26"</u> | $\bigcirc 17" \bigcirc 18.5" \bigcirc 20"$ |
| Back Support 016" 018" 020" | Back Support 0 16" 018" 0 20" |
| 13" Height $\bigcirc 22" \bigcirc 24"$ | Extension: 022" 024" |
| <u>0</u> 26" | 12" Height 0 26" |

BRODA

Synthesis Positioning Wheelchair Model: V4

O Acute Care Configuration (ACC):

Includes: Full Vinyl Covers, ABS Lower Leg Support with Foot Support Cushions (Factory installed)(skip lower leg support cushion

| 1 | 1 1 | 11. | option)(16"-24" v | · 1.1) |
|-----------------|--------------|----------------|-------------------|---------|
| ηαςκάσε σεςποή | anove when s | selecting this | nnnnnnn n n - 24 | viatusi |
| puckage section | above when a | sciccing inis | opnon/(10 2) | viains |
| | | | | |

| | | Common Accessories | | | |
|-----------------------|--|--|---------------------|--|--|
| Neck Supports: | : () NR-CV | Neck Support Visco Foam Contoured Cushion O Triptex | Omit Standard | | |
| | ⊖ NS | Neck Support Soft Visco Cushion | Neck Support | | |
| Positioning: | ⊖SR | Width Reduction Cushion - Pair | | | |
| | OCC-LTS | Comfort Company Lateral Supports - Pair | | | |
| | OLTS | Lateral Torso Supports (FACTORY INSTALLED RECOMMENDED) - Pair | | | |
| | ⊖ SB-LONG-V4 | Long Lateral Shoulder Supports - Pair - Omits standard short | | | |
| Foot Support OFB-LONG | | Lower Leg Support Footbox - Full Extended Cushion | Omit Foot Support | | |
| Cushions: | | | Cushions | | |
| Pelvic Belts: | ⊖ S-BELT | Pelvic Belt O Center B | uckle 🔘 Side Buckle | | |
| | ⊖ S-BELT-A | Pelvic Belt Auto Buckle O Center B | uckle 🔘 Side Buckle | | |
| | ⊖S-BELT-PD | Pelvic Belt Cushioned | | | |
| | ○ S-BELT-PD-A | Pelvic Belt Cushioned & Auto Buckle | | | |
| Fhigh Belts: | ⊖T-BELT | Thigh Belt Cushioned | | | |
| | ⊖ T-BELT-A | Thigh Belt Cushioned & Auto Buckle | | | |
| | ⊖ T-BELT-NEO | Thigh Belt Cushioned Neoprene | | | |
| | ⊖ T-BELT-NEO-A | Thigh Belt Cushioned Neoprene Auto Buckle | | | |
| | ○ T-BELT-NEO-APP | P Thigh Belt Cushioned Neoprene for APP & SPP Packages | | | |
| | OT-BELT-NEO-A-AP | Thigh Belt Cushioned Neoprene Auto Buckle for APP & SI | PP Packages | | |
| Гrays: | ⊖ TRAY-ABS | Tray ABS with Strap O Sewn Tray Strap | ⊖ Grey ⊖ Black | | |
| | ⊖ TRAY-ABS-OVR | Tray ABS with Strap (24" - 26" width) | ⊖ Black Only | | |
| | ⊖ TRAY-CLEAR | Tray Clear with Strap O Sewn Tray Strap | | | |
| | ⊖ TRAY-HALF | Half Tray (side specific)(includes upper side pad) | | | |
| | ⊖ TRAY-COVER | Tray ABS Cushion Cover | | | |
| Stabilizers: | ⊖ STABIL-FR | ○ Front or ○ Rear Mounted Stabilizers (select one)(pair) | | | |
| | ⊖ STABIL-LAT | Lateral Frame Stabilizers | | | |
| Other: | ○ IV-POLE* | IV Pole and Assembly \bigcirc Front or \bigcirc Rear Mount | | | |
| | O2-HOLDER* | Oxygen Holder and Assembly | | | |
| | *IV-POLE and O2-HOLDER not compatible with rear mounted mag wheels | | | | |
| | OACCESSORY-BAC Accessory Bag (Black) Each | | | | |
| | OBAG PERSONALIZING | (2 Initials) OBrush Font OR () lock Font | | | |
| | O2-HOLDER-BAG | Oxygen Holder, Soft Carry Bag | | | |
| | OCUP-HOLDER | Cup Holder | | | |

Additional Options:

 Delivery Instructions or Special Requests:
 Total: \$

 Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order, any accessorial services needed to deliver are requested when an order is submitted to Broda.

 O Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level

 O Residential Delivery Service: Delivery to a residential location

 O Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery

 O Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building, upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs

 O Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p

Expedited delivery is available by customer request at the time of order, which is priced per order and is based on the delivery location and level of service.